EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	265	(status near2 code) with action and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/06 20:35
L2	215	(status adj2 code) with action and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/06 20:36
L3	0	(status adj2 code) with perform near2 action and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/06 20:36
L4	0	(status adj2 code) with actionable and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/06 20:36
S1	15	(("6029175") or ("6144988") or ("20020194382") or ("20030028606") or ("6314492") or ("6453342") or ("6510469")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 09:29
S2	1	(request$4) with (video or audio or graphic or data or information or multi$media) with (authenicat$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 08:15
S3	1	(request$4) with (video or audio or graphic or data or information or multi$media) same (authenicat$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 08:16
S4	21232	(access$4) same (secure) same (server or network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 08:17

S5	13170	(access$4) same (secure) same (server or network) and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 08:18
S6	81	(access$4) same (secure) same (server or network) same expiration and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 08:18
S7	6	((access$4) same (secure) same (server or network) same expiration).ab,ti. and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 08:20
S8	379292	request$4 same (object or information or audio or video or multimedia or web$page or web $site or graphic or GIF or JPEG)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 08:28
S9	4	authenicat$4 near2 server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 08:23
S10	66	S8 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 08:28
S11	62	S10 not S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 08:49
S12	852	(server) same (add$4) same (expiration) and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 08:49
S13	228	(server) with (add$4) with (expiration) and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 08:50

S14	36	(server) with (add$4) with (expiration) with request$4 and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 08:50
S15	34	S14 not S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 09:04
S16	2163	(709/232,242).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 08:56
S17	10	(("20040003101") or ("20030188106") or ("20030110296") or ("6883135") or ("7159014")). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 09:05
S18	5	(TTL or (timetolive)) with (set) with maximum with minimum and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 09:32
S19	16	(TTL or (timetolive)) same (set) with maximum with minimum and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 09:31
S20	2163	(709/232,242).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 09:31
S21	0	S19 and S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 09:31
S22	11	S19 not S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 09:31

S23	7	(TTL or (timetolive)) with (set $4) with maximum with minimum and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 09:32
S24	2	S23 not S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:18
S25	2	("6108703").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:18
S26	14	(set$4) with maximum with expir$4 with date and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:21
S27	4227	(TTL or "time-to-live") same (set $4)and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:22
S28	318	(TTL or "time-to-live") same (set $4) same maximum and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:23
S29	15	(compar$4) with (TTL or "time-to-live") same (set$4) same maximum and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:23
S30	3513	(comput$4 or calculat$4) with (expir$4) and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 11:56
S31	11	(comput$4 or calculat$4) with (expir$4) with (add$4) with expiration and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 11:57

S32	4	(compute or computing or calculat$4) with (expir$4) with (add$4) with expiration and @ad<="20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 12:51
S33	4	(("5404505") or ("6055569")). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/21 12:51
S34	43820	(check$4 or evaluat$4) near4 (type) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 12:24
S35	3	(check$4 or evaluat$4) near4 (type) with HTTP adj header and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/27 12:24
S36	35	proxy near3 (cache or server) same object same (expir$4) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:05
S37	495	("ok" or "not modified") same proxy and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:34
S38	259	("ok" or "not modified") with proxy and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:34
S39	145	("ok" or "not modified") with proxy near3 server and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:34
S40	4	("ok" or "not modified") with proxy near3 server same (expir $4 or TTL) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:34

S41	0	("ok" same "not modified") with proxy near3 server and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:38
S42	0	("ok" same "not modified") same (proxy or server) and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:38
S43	0	("ok" same "not modified") and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:38
S44	4638	("ok" or "not modified") same status and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:38
S45	2484	("ok" or "not modified") with status and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:38
S46	165	("ok" or "not modified") with status near3 code and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:39
S47	2	("ok" or "not modified") with status near3 code same proxy and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:39
S48	0	(("ok" or "not modified") with status near3 code).ab,ti. and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:41
S49	0	("not modified") with status near3 code and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:42

S50	0	("not modified") same status near3 code and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:42
S51	0	("not modified") and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:42
S52	827	(Ok or "not modified") same HTTP and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:42
S53	178	(Ok or "not modified") same HTTP same status and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:44
S54	92	(Ok or "not modified") same HTTP same status and proxy and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:45
S55	14	(Ok or "not modified") same HTTP same status same proxy and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 10:45
S56	8063	(status near2 code) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:30
S57	260	(status near2 code) with action $4 and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:30
S58	78	(status near2 code) adj4 action $4 and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:31

S59	3	(status near2 code) adj4 action $4 same proxy and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:31
S60	1353	(check$4) with object with list and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:06
S61	20	(check$4) with object with list same proxy and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:08
S62	1	(check$4) with object adj2 list same proxy and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:09
S63	280	(check$4) with object adj2 list and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:10
S64	0	(check$4) with (web$page or web$site) near3 object adj2 list and @ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:10
S65	128	(check$4) near4 object adj2 list and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:12
S66	6	((check$4or determin$4) near4 object adj2 list).ab,ti. and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:12
S67	1	((check$4or determin$4) near4 object adj2 list) same proxy and (@ad<="20031030" or @rlad="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:16

S68	18	((check$4or determin$4) near4 object adj2 list) and proxy and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:16
S69	1	((check$4or determin$4) near4 object adj2 list) same (GIF or JPEG or PDF or MPEG) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:20
S70	1	((check$4or determin$4) with object adj2 list) same (GIF or JPEG or PDF or MPEG) and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:21
S71	781	(check$4or determin$4) with object adj2 list and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:25
S72	238	(check$4 or determin$4) adj3 object adj2 list and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:25
S73	8	(check$4 or determin$4) adj3 object adj2 list same appropriate and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 15:26
S74	17	(check$4 or determin$4 or request$4) adj3 object adj2 list same appropriate and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:00
S75	17	S74 not S64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:00
S76	9	S74 not S73	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:00

S77	397	(check$4 or determin$4 or request$4) adj3 object adj2 list and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:03
S78	558	(check$4 or determin$4 or request$4) adj3 (object or type) adj2 list and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:03
S79	1	(check$4 or determin$4 or request$4) adj3 web adj3 (object or type) adj2 list and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:04
S80	17	(check$4 or determin$4 or request$4) adj3 web with (object or type) adj2 list and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:05
S81	26	((check$4 or determin$4 or request$4) adj3 (object or type) adj2 list).ab,ti. and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:07
S82	124	(check$4 or determin$4 or request$4) with object adj2 list same appropriate and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:11
S83	130	(check$4 or determin$4 or request$4 or compar$4) with object adj2 list same appropriate and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:11
S84	58	(request$4 or compar$4) with object adj2 list same appropriate and (@ad<="20031030" or @rlad<="20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 16:11

4/ 6/ 2009 8:39:06 PM
C:\ Documents and Settings\ btiv\ My Documents\ EAST\ Workspaces
\ 10699439_limit_access_response_time.wsp